

Timeless and contemporary designs

The feeling that you get from the timeless look of authentic timber flooring is warmth. The very natural essence of classical wood grains featured in our ResiPlank Hybrid collections brings heart to your home while exuding a sense of style and design.

The three ResiPlank Hybrid collections offer an impressive range of 30 designs with a sophisticated variety of colour palette choices, and authentic Embossed-in-Register wood textures.

With their heavy-duty composite core supported by a super sound absorbent underlay, our ResiPlank Hybrid collections are in a class of their own. Strong, resistant to wear and 100% waterproof, the collections come with a Lifetime Structural Guarantee.

Installation is easy with the Välinge 5G drop-lock system, and the accentuated air of optimal softness and elegance that they create in your home will have you captivated every time you walk into a room.

Eternity 705

1820mm x 180mm x 7.0mm | Wear Layer 0.5mm | 5 Star Acoustic Rating*

Corsica 855

1420mm x 225mm x 8.5mm | Wear Layer 0.5mm | 5 Star Acoustic Rating*

Summit 977

1820mm x 225mm x 9.7mm | Wear Layer 0.7mm | 6 Star Acoustic Rating*

^{*} Please refer to www.terramaterfloors.com.au for results.

Why choose ResiPlank Hybrid flooring Chiffon 7128

Superior and resilient performance

Featuring micro-bevelled edges and manufactured using Co-Extrusion Technology, ResiPlank Hybrid flooring is resilient and superbly functional. It can be laid on a new subfloor or over existing hard floor covering with ease. ResiPlank Hybrid enhances your home with the perfect combination of luxury and low maintenance durability.





100% Waterproof



Quick and Fast Installation



Kid and Pet Friendly



AcousticSound Reduction



Low Maintenance



Environment Friendly



Highly Durable



Suitable for Hydronic Underfoor Heating



Authentic Wood Texture



Comfortable and Warm Underfoot

3. High-Resolution Decorative Film

2. Resi-Clear Embossed Wear Layer

1. Resi-Protect PU Surface Treatment

Provides enhanced scratch, stain and slip

an authentic timber texture appearance.

resistance, with heightened durability and hygienic

A transparent wear and protection layer that creates

A superbly innovative design layer that replicates the appearance, style and colour of classic timbers.

4. Resi-Core Layer

protection.

Stone Plastic Composite (SPC) which is engineered for strength, 100% waterproof and conceals subfloor imperfections.

5. 5G Välinge Locking System

A patented joining mechanism that allows incredibly fast and easy installation.


6. Acoustic Backing Layer

An integrated, high-density EVA underlay provides impact sound reduction and moisture resistance, with a softer and warmer feel under-foot.

7. Anti-Bacterial PE Layer

Moisture proof protection where you need it the most.

ResiPlank Hybrid | 4





Inspired by nature

The ResiPlank Hybrid Eternity 705 range has timeless appeal with its characteristic mix of Nordic, Scandinavian and coastal style. This natural range is both classic and warm.

Truly inspired by nature, the hybrid range of 10 designs in the Eternity 705 range have been carefully selected for their authentic variations in tone and subtle grains to deliver true naturalism. Together with a fine wood grain surface texture, the Eternity 705 is expertly designed to bring natural beauty to your home.

ŏ	2	U	m	ım	1	X	ı	ŏ	U	m	ım	1

7.0mm Thickness

0.5mm Wear Layer

25 Year Domestic Surface Warranty

10 Year Commercial Surface Warranty

5 Star Acoustic Rating*

ResiPlank Hybrid | 6

^{*} Please refer to www.terramaterfloors.com.au for results.



Eternity 705 offers 10 beautiful and stylish designs. The 5.0mm core thickness adds durability and resistance to wear to the elegance of the finish.

Featuring 8 classic oak grains, as well as 2 uniquely Australian species, the Blackbutt and Spotted Gum, the Eternity 705 range provides a wealth of choice and colour palettes, allowing you to personalise the sophisticated and timeless ambience they bring to your home.

Size: 1820mm x 180mm

Thickness: 7.0mm

Wear Layer: 0.5mm

1.5mm EVA Underlay

5 Design Repeat

5 Star Acoustic Rating*



Order samples online



Stockholm | 7161



Sienna | 7162



Chateau 7167



Butterscotch | 7165



Sandy Clay | 7164



Loft | 7166



Northern Blackbutt | 7169¹



Askada | 7163



Country Spotted Gum | 7168¹



Portabella 7160

^{*} Please refer to www.terramaterfloors.com.au for results.





Classic beauty

The classic beauty of the ResiPlank Hybrid Corsica 855 range is drawn from the Scandinavian inspiration of the designs.

Modern and understated, the simplicity of the hybrid range is enhanced by the superb colour palette, offering depth that can accommodate every preference.

The contemporary designs are enhanced by the knowledge that careful engineering has developed a surface that is easy to maintain, yet accentuates the warmth and natural qualities of the range.

420mm >	225mm
---------	-------

8.5mm Thickness

0.5mm Wear Layer

25 Year Domestic Surface Warranty

10 Year Commercial Surface Warranty

5 Star Acoustic Rating*

^{*} Please refer to www.terramaterfloors.com.au for results.



Corsica 855

The Corsica 855 range is engineered for sophistication and strength, bringing richness and elegance to both residential and light commercial spaces. Its heavy-duty 6.0mm core, combined with our proprietary formula, gives an unrivalled strength, superior stability and outstanding durability to each board. It is this resilient core that makes the hybrid range resistant to water and a world leader in its class.

The beauty of the Corsica 855 range is the style is not compromised to deliver durability. It offers a range of 10 appealing colours in authentic wood grain designs.

Each design delivers a unique and natural look. This, together with the depth of hues, means the Corscia 855 range acts as a chic base for highlighting every décor style through their timeless appeal.

Size: 1420mm x 225mm

Thickness: 8.5mm

Wear Layer: 0.5mm

2mm EVA Underlay

8 Design Repeat

5 Star Acoustic Rating*

* Please refer to www.terramaterfloors.com.au for results.



Order samples online



Fawn | 7109



Alabaster 7110



Granola 7111



Coastal Blackbutt | 7115



NSW Spotted Gum | 7116¹



Grey Stone 7107



Nomad | 7112



Dapple Grey | 7108



Anchor Grey 7113



Pewter 7114

ResiPlank Hybrid | 12





Quality meets design

Engineered for strength and resistant to wear, the ResiPlank Hybrid Summit 977 range is where style meets strength. The high quality engineering and quality of the materials inherent in the collection, provide maximum stability and are low maintenance to complement your lifestyle.

The Summit 977 range is the perfect blend of quality and design which will bring a touch of luxury to your home. An authentic feel is delivered through the natural looking grain and knot patterns. Each pattern has been carefully created to express the natural aesthetics of real wood using authentic hues that range from softer to tones to darker nuances which brighten your space. These appealing hues, together with the refined bevels of each board, result in a luxurious yet natural look for your room.

1820mm x 225mm		
9.7mm Thickness		
0.7mm Wear Layer		
30 Year Domestic Surface Warranty		
15 Year Commercial Surface Warranty		
6 Star Acoustic Rating*		

* Please refer to www.terramaterfloors.com.au for results.



The Summit 977 range is the premium product for wear, durability and resilience, making it suitable for very heavy commercial environments.

With a 7.0mm heavy duty core coupled with our unique proprietary formula coextrusion blend, the Summit 977 range, has an unmatched density in any market.

The engineered strength is enhanced by the quality of the design finish. Designed using high quality patterns, the range features unique knot and grain patterns to flawlessly replicate natural wood, and create a finish that is pleasing to the eye.

Available in an impressively longer and wider plank, with a length and width of 1820mm x 225mm, the Summit 977 range accentuates a sense of natural spaciousness in any area.

Size: 1820mm x 225mm

Thickness: 9.7mm

Wear Layer: 0.7mm

2mm EVA Underlay

8 Design Repeat

6 Star Acoustic Rating*

* Please refer to www.terramaterfloors.com.au for results.



Order samples online



Tuscan | 7123



Chiffon 7128



Sepia | 7126



Scented Spotted Gum | 71211



Coastal Blackbutt | 7120



Driftwood | 7124



Northern Spotted Gum | 7122¹



Iron Grey 7125



New England Blackbutt | 7119¹



Nevada | 7127¹

ResiPlank Hybrid 16 resiPlank Hybrid 16 resiPlank Hybrid 17


Accessories

Complete the finished look of your room with our ResiPlank Hybrid accessories. All of our accessories are perfectly colour matched to accentuate the natural floor design. In addition to the standard options of black, silver and champagne, each ResiPlank Hybrid trim is available in colours matching the collection.




C-Channel Vinyl 3400mm wrapped in vinyl to match all

30 colours





C-Channel				
Size	3400mm			
Colour	silver black champagne			





L-Trim \	Trim Vinyl				
Size	3400mm				
Colour	wrapped in vinyl to match all 30 colours				






	L-Trim	
_	Size	3400mm
	Colour	silver black champagne





Expansion Mould+Base







2200mm Colour wrapped in vinyl to match all 30 colours


Waterproof Scotia



Stair Nosing




Size	1820mm
Colour	wrapped in vinyl to match all 30 colours



Anti-Slip Tape Size 25mm x 18m roll Colour clear







Cleaning & Maintenance

Preventative Maintenance

It is only natural that ResiPlank Hybrid floors will show signs of wear over time. You can expect years of beauty from your floor by observing a few precautions and maintaining regular cleaning and maintenance routines.

- · Keep dirt, sand, grit and water off the floor by placing outside mats in front of all entrances to your home.
- Sweep or vacuum regularly to rid the floor of dust and grit that can scratch the finish.
- Remove shoes with spiked or damaged heels before walking on the floor to prevent scratches and dents
- · Keep pets' claws trimmed, paws cleaned and free of dirt or
- · Always apply felt pads under any furniture or chair legs to prevent scratches and to ease movement. Keep pads clean at all times and regularly check and replace as necessary.
- · Protect the floor when moving heavy furniture or large appliances. Place on mat and slide smoothly over floor.
- · Never flood or wet mop floor with water or any other liquid products. Severe damage may occur that voids the warranty.
- · Wipe up spills immediately with damp cloth.
- Exposure to sunlight with its UV rays accelerates oxidation and aging of materials. This may change the colour of the floor.
- Periodically rearrange the furniture to allow the floor to age

Cleaning After Installation

- 1. Remove all loose debris from the floor using a vacuum, brush or dust mon (if using a vacuum please check the manufacturer's guidelines to make sure it's suitable for ResiPlank Hybrid).
- 2. Ensure that all dry adhesive or wax is removed from the
- 3. Damp mop with a pH neutral detergent

Routine Maintenance

The cleaning and maintenance regime, whether for commercial or residential homes is simple and can be carried out by hand or using mechanical cleaning apparatus.

- 1. Spills and tracked-in dirt should be wiped up immediately.
- 2. Periodically, as necessary, thoroughly clean the floor with a good quality spray mop and with a ph neutral cleaner. DO NOT allow excess cleaner to remain on the floor's surface. Excess liquid may damage both the surface and core of your ResiPlank Hybrid floor.
- 3. Vacuum, sweep or mop to remove all dust and loose debris (if using a vacuum, please check the manufacturer's guidelines to make sure it's suitable for ResiPlank Hybrid).
- 4. Stubborn stains can be removed by spot cleaning with concentrated ph neutral detergent. Protect your floor from direct sunlight. Use curtains and UV resistant film on large glass doors and windows. Colour shade variation can occur if the floor is exposed to direct sunlight

- 5. Never use any of the following products (or similar in nature) on your floor: ammonia-based cleaners, acrylic finishes, waxbased products, bleach, polishes, oil soap, abrasive cleaning soaps, or acidic materials such as vinegar. Many of these products pit or etch the finish of your flooring or prevent the proper use of recommended maintenance materials.
- 6. Use interior and exterior doormats at all entrances to collect dirt and moisture and prevent it from being tracked onto the
- 7. Area rugs are recommended in front of kitchen sinks, at all pivot points within high traffic areas. Do not use rugs with solid rubber or vinyl backings. The rugs must be made of a breathable material to prevent moisture entrapment.
- 8. Never clean or wet mop with water, it may permanently
- 9. Cut hair is very coarse and will abrade the surface of the
- 10. Keep animal nails trimmed to minimise finish scratches.
- 11. Do not damage your floor with shoes having heel taps or sharp objects protruding from the sole such as rocks, nails or gravel.
- 12. Avoid walking on wood floors with spike or stiletto heeled shoes. Spike or stiletto high heels must be properly maintained to prevent damage from the steel heel support.
- 13. Do not roll or slide heavy objects directly upon the floor. When moving appliances or heavy furniture, consider laying a solid protective covering on your floor and gently "walk" the item across it. Carpet or cardboard is not adequate to prevent surface compression scratches.
- 14. Use furniture leg protector pads under all furniture and make certain to keep them clean and well maintained.
- 15. The flooring should be protected with non rubber matting from damage by casters and wheels on furniture and chairs.
- 16. Protect your floor from direct sunlight. Use curtains and UV resistant film on large glass doors and windows. Colour shade variation can occur if the floor is exposed to direct sunlight.
- 17. The use of any kind of steam mop is strictly prohibited. The use of a steam mop will cause irreparable harm to your floor and void your warranty.
- 18. Radiant heat from fire places or heater should be avoided. Damage can occur. Radiant heat from fire places or heater should be avoided. Damage can occur.

IMPORTANT: If any heavy objects such bookcases, billiard tables, kitchen units, that exceed 200kg/object area or if the load is greater than 30kg/cm2 is to be installed over the floating system please contact our office for confirmation of suitability. If this assistance is not sort damage can occur due to incorrect expansion and lack of correct raft movement.

We do not recommend adhesive tape is applied to any of our flooring products.



All warranties and product certificates please refer to website under downloads. www.terramaterfloors.com.au





Terra Mater - Melbourne 23-27 Rodeo Drive Dandenong South VIC 3175 Australia 1300 671 777 **Terra Mater - Sydney** 1 Lennox Drive Wetherill Park NSW 2164 Australia 1300 671 777

sydneysales@terramaterfloors.com.au

Disclaimer

Product images may vary in colour due to possible printing process variations. Images should not seek to duplicate the exact visual appearance, but serve merely as a guide or point of reference. Actual samples should be inspected to confirm texture and colour before making a purchase decision.